



IMPACT IMPEX

R:31, STANDARD BUILDING NO. 2,
120/122 V. V. CHANDAN STREET,
MUMBAI - 400 003, INDIA.
Tel: +91-22-23401191
Mob: +91-9967676717 / +91-9920300607
Email: impactimpex@gmail.com, sales@impactimpex.com
Website: www.impactimpex.com

Reducing Tee 25 - 150

ANSI # 150

S.G. Iron - EN-GJS-400-18-LT

Cast Steel - ASTM A 216 WCB

Steel Fabrication

Body Plate: BS 1501-151-430A


Tube: API 5L gr. B

Flange: ASTM A 105

PFA - ASTM D 3307 type II

PVDF - ASTM D 3222

Polypropylene -to ASTM D 4101



A mm	B mm	C mm	T mm	~kg
25	15	89	5.6	4
25	20	89	5.6	4.5
40	15	102	5.6	6
40	20	102	5.6	6.5
40	25	102	5.6	6.5
50	20	114	5.6	7
50	25	114	5.6	8
50	40	114	5.6	9
80	25	140	5.6	14
80	40	140	5.6	15
80	50	140	5.6	16
100	25	165	6.4	23
100	40	165	6.4	25
100	50	165	6.4	27
100	80	165	6.4	29
150	25	203	7.1	40
150	40	203	7.1	44
150	50	203	7.1	47
150	80	203	7.1	50
150	100	203	7.1	53

Reducing Tee 200 - 300

ANSI # 150

S.G. Iron - EN-GJS-400-18-LT

Cast Steel - ASTM A 216 WCB

Steel Fabrication

Body Plate: BS 1501-151-430A


Tube: API 5L gr. B

Flange: ASTM A 105

PFA - ASTM D 3307 type II

PVDF - ASTM D 3222

Polypropylene -to ASTM D 4101



A mm	B mm	C mm	T mm	~kg
200	25	229	7.9	68
200	40	229	7.9	70
200	50	229	7.9	72
200	80	229	7.9	74
200	100	229	7.9	77
200	150	229	7.9	80
250	100	279	7.9	112
250	150	279	7.9	114
250	200	279	7.9	120
300	100	305	9.5	150
300	150	306	9.5	155
300	200	306	9.5	165
300	250	306	9.5	174

Reducing Tee 350 - 500

ANSI # 150


Steel Fabrication

Body Plate: BS 1501-151-430A

Tube: API 5L gr. B

Flange: ASTM A 105

PTFE: ASTM D 4894 Type IV



A mm	B mm	C mm	T mm	~kg
350	300	356	10	310
	250			300
	200			290
	150			205
	100			200
400	350	381	10	380
	300			365
	250			355
	200			290
	150			235
	100			250
450	400	419	10	450
	350			
	300			
	250			
	200			
	150			
500	100	457	10	
	150			
	200			
	250			
	300			
	350			
	400			
	450			510